



# Smarter Balanced Assessment Consortium Claims, Targets, and Standard Alignment for Math



The Smarter Balanced Assessment Consortium (SBAC) has created a hierarchy comprised of claims and targets that together can be used to make statements about student achievement. The claim is a broad statement that will outline the outcomes achieved with mastery of the standards within it. Within each claim are a variety of assessment targets that further clarify the knowledge and specific skills that cross over a cluster of standards.

The following tables layout the claims and targets for claims 1-4. Each target may feature a standard or a variety of standards that make up the skill(s) of the target. Each target also features a Depth of Knowledge level(s) and item type(s) in which the target may be assessed.

## Item Types:

- MC – Multiple Choice, Single Correct Response
- MS – Multiple Choice, Multiple Correct Response
- EQ – Equation/Numeric
- MA – Matching Tables
- TI – Fill-in tables
- DD – Drag and Drop
- HS – Hot Spot
- G – Graphing
- GI – Graphing Interaction
- ST – Short Text

## Depth of Knowledge:

- 1 - Recall
- 2 - Skill/Concept
- 3 - Strategic Thinking
- 4 - Extended Thinking

## Work:

Not all content in a given grade is emphasized equally in the standards. Some clusters require greater emphasis than others based on the depth of ideas, the time they take to master, and/or their importance to future mathematics or the demands of college and career readiness. The following tables identify the additional and supporting work for the grade by shading. If no shading is included, all standards listed are part of the major work for that level.



Claim	Target	DOK	Standards	Item Types
<p><b>1: Concepts and Procedures:</b> Students can explain and apply mathematical concepts and carry out mathematical procedures with precision and fluency.</p>	<p><b>A:</b> Understand ratio concepts and use ratio reasoning to solve problems.</p>	1, 2	<p><b>6.RP.1:</b> Understand the concept of a ratio and use ratio language to describe a ratio relationship between two quantities. For example, “The ratio of wings to beaks in the bird house at the zoo was 2:1, because for every 2 wings there was 1 beak.” “For every vote candidate A received, candidate C received nearly three votes.”</p> <p><b>6.RP.2:</b> Understand the concept of a unit rate <math>a/b</math> associated with a ratio <math>a:b</math> with <math>b \neq 0</math>, and use rate language in the context of a ratio relationship. For example, “This recipe has a ratio of 3 cups of flour to 4 cups of sugar, so there is <math>3/4</math> cup of flour for each cup of sugar.” “We paid \$75 for 15 hamburgers, which is a rate of \$5 per hamburger.”</p> <p><b>6.RP.3:</b> Use ratio and rate reasoning to solve real-world and mathematical problems, e.g., by reasoning about tables of equivalent ratios, tape diagrams, double number line diagrams, or equations.</p>	MS, EQ, TI, G, MA
	<p><b>B:</b> Apply and extend previous understandings of multiplication and division to divide fractions by fractions.</p>	1, 2	<p><b>6.NS.1:</b> Interpret and compute quotients of fractions, and solve word problems involving division of fractions by fractions, e.g., by using visual fraction models and equations to represent the problem. For example, create a story context for <math>(2/3) \div (3/4)</math> and use a visual fraction model to show the quotient; use the relationship between multiplication and division to explain that <math>(2/3) \div (3/4) = 8/9</math> because <math>3/4</math> of <math>8/9</math> is <math>2/3</math>. (In general, <math>(a/b) \div (c/d) = ad/bc</math>.) How much chocolate will each person get if 3 people share <math>1/2</math> lb of chocolate equally? How many <math>3/4</math>-cup servings are in <math>2/3</math> of a cup of yogurt? How wide is a rectangular strip of land with length <math>3/4</math> mi and area <math>1/2</math> square mi?</p>	MC, DD, EQ

\* Denotes that target is measured in Performance Tasks only; Shaded standards denote additional and supporting clusters; <sup>1</sup> Denotes that item type is only applicable to target B; Tables were created using the released item specification tables provided by SBAC published on 2/04/2014.



Claim	Target	DOK	Standards	Item Types
<p><b>1: Concepts and Procedures:</b> Students can explain and apply mathematical concepts and carry out mathematical procedures with precision and fluency.</p>	<p><b>C:</b> Compute fluently with multi-digit numbers and find common factors and multiples.</p>	1, 2	<p><b>6.NS.2:</b> Fluently divide multi-digit numbers using the standard algorithm.</p> <p><b>6.NS.3:</b> Fluently add, subtract, multiply, and divide multi-digit decimals using the standard algorithm for each operation.</p> <p><b>6.NS.4:</b> Find the greatest common factor of two whole numbers less than or equal to 100 and the least common multiple of two whole numbers less than or equal to 12. Use the distributive property to express a sum of two whole numbers 1–100 with a common factor as a multiple of a sum of two whole numbers with no common factor. For example, express <math>36 + 8</math> as <math>4(9 + 2)</math>.</p>	EQ
	<p><b>D:</b> Apply and extend previous understandings of numbers to the system of rational numbers.</p>	1, 2	<p><b>6.NS.5:</b> Understand that positive and negative numbers are used together to describe quantities having opposite directions or values (e.g., temperature above/below zero, elevation above/below sea level, credits/debits, positive/negative electric charge); use positive and negative numbers to represent quantities in real-world contexts, explaining the meaning of 0 in each situation.</p> <p><b>6.NS.6:</b> Understand a rational number as a point on the number line. Extend number line diagrams and coordinate axes familiar from previous grades to represent points on the line and in the plane with negative number coordinates.</p> <p><b>6.NS.7:</b> Understand ordering and absolute value of rational numbers.</p> <p><b>6.NS.8:</b> Solve real-world and mathematical problems by graphing points in all four quadrants of the coordinate plane. Include use of coordinates and absolute value to find distances between points with the same first coordinate or the same second coordinate.</p>	MC, MS, EQ, MA, DD, G, HS

\* Denotes that target is measured in Performance Tasks only; Shaded standards denote additional and supporting clusters; <sup>1</sup> Denotes that item type is only applicable to target B; Tables were created using the released item specification tables provided by SBAC published on 2/04/2014.



Claim	Target	DOK	Standards	Item Types
<p><b>1: Concepts and Procedures:</b> Students can explain and apply mathematical concepts and carry out mathematical procedures with precision and fluency.</p>	<p><b>E:</b> Apply and extend previous understandings of arithmetic to algebraic expressions.</p>	<p>1, 2</p>	<p><b>6.EE.1:</b> Write and evaluate numerical expressions involving whole-number exponents.</p>	<p>MS, EQ, DD</p>
			<p><b>6.EE.2:</b> Write, read, and evaluate expressions in which letters stand for numbers.</p>	
			<p><b>6.EE.3:</b> Apply the properties of operations to generate equivalent expressions. For example, apply the distributive property to the expression <math>3(2 + x)</math> to produce the equivalent expression <math>6 + 3x</math>; apply the distributive property to the expression <math>24x + 18y</math> to produce the equivalent expression <math>6(4x + 3y)</math>; apply properties of operations to <math>y + y + y</math> to produce the equivalent expression <math>3y</math>.</p>	
			<p><b>6.EE.4:</b> Identify when two expressions are equivalent (i.e., when the two expressions name the same number regardless of which value is substituted into them). For example, the expressions <math>y + y + y</math> and <math>3y</math> are equivalent because they name the same number regardless of which number <math>y</math> stands for.</p>	
	<p><b>F:</b> Reason about and solve one-variable equations and inequalities.</p>	<p>1, 2</p>	<p><b>6.EE.5:</b> Understand solving an equation or inequality as a process of answering a question: which values from a specified set, if any, make the equation or inequality true? Use substitution to determine whether a given number in a specified set makes an equation or inequality true.</p>	<p>MC, MS, DD, EQ, MA</p>
			<p><b>6.EE.6:</b> Use variables to represent numbers and write expressions when solving a real-world or mathematical problem; understand that a variable can represent an unknown number, or, depending on the purpose at hand, any number in a specified set.</p>	
			<p><b>6.EE.7:</b> Solve real-world and mathematical problems by writing and solving equations of the form <math>x + p = q</math> and <math>px = q</math> for cases in which <math>p</math>, <math>q</math> and <math>x</math> are all nonnegative rational numbers.</p>	
			<p><b>6.EE.8:</b> Write an inequality of the form <math>x &gt; c</math> or <math>x &lt; c</math> to represent a constraint or condition in a real-world or mathematical problem. Recognize that inequalities of the form <math>x &gt; c</math> or <math>x &lt; c</math> have infinitely many solutions; represent solutions of such inequalities on number line diagrams.</p>	

\* Denotes that target is measured in Performance Tasks only; Shaded standards denote additional and supporting clusters; <sup>1</sup> Denotes that item type is only applicable to target B; Tables were created using the released item specification tables provided by SBAC published on 2/04/2014.



Claim	Target	DOK	Standards	Item Types
<b>1: Concepts and Procedures:</b> Students can explain and apply mathematical concepts and carry out mathematical procedures with precision and fluency.	<b>G:</b> Represent and analyze quantitative relationships between dependent and independent variables.	2	<b>6.EE.9:</b> Use variables to represent two quantities in a real-world problem that change in relationship to one another; write an equation to express one quantity, thought of as the dependent variable, in terms of the other quantity, thought of as the independent variable. Analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation. For example, in a problem involving motion at constant speed, list and graph ordered pairs of distances and times, and write the equation $d = 65t$ to represent the relationship between distance and time.	MC, MS, EQ, MA, TI
	<b>H:</b> Solve real-world and mathematical problems involving area, surface area, and volume.	1, 2	<b>6.G.1:</b> Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques in the context of solving real-world and mathematical problems. <b>6.G.2:</b> Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Apply the formulas $V = l w h$ and $V = b h$ to find volumes of right rectangular prisms with fractional edge lengths in the context of solving real-world and mathematical problems. <b>6.G.3:</b> Draw polygons in the coordinate plane given coordinates for the vertices; use coordinates to find the length of a side joining points with the same first coordinate or the same second coordinate. Apply these techniques in the context of solving real-world and mathematical problems. <b>6.G.4:</b> Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques in the context of solving real-world and mathematical problems.	EQ, G

\* Denotes that target is measured in Performance Tasks only; Shaded standards denote additional and supporting clusters; <sup>1</sup> Denotes that item type is only applicable to target B; Tables were created using the released item specification tables provided by SBAC published on 2/04/2014.



Claim	Target	DOK	Standards	Item Types
<b>1: Concepts and Procedures:</b> Students can explain and apply mathematical concepts and carry out mathematical procedures with precision and fluency.	<b>I:</b> Develop an understanding of statistics variability.	2	<b>6.SP.1:</b> Recognize a statistical question as one that anticipates variability in the data related to the question and accounts for it in the answers. For example, “How old am I?” is not a statistical question, but “How old are the students in my school?” is a statistical question because one anticipates variability in students’ ages. <b>6.SP.2:</b> Understand that a set of data collected to answer a statistical question has a distribution which can be described by its center, spread, and overall shape. <b>6.SP.3:</b> Recognize that a measure of center for a numerical data set summarizes all of its values with a single number, while a measure of variation describes how its values vary with a single number.	MC, MA
	<b>J:</b> Summarize and describe distributions.	1, 2	<b>6.SP.4:</b> Display numerical data in plots on a number line, including dot plots, histograms, and box plots. <b>6.SP.5:</b> Summarize numerical data sets in relation to their context, such as by: a. Reporting the number of observations. b. Describing the nature of the attribute under investigation, including how it was measured and its units of measurement. c. Giving quantitative measures of center (median and/or mean) and variability (interquartile range and/or mean absolute deviation), as well as describing any overall pattern and any striking deviations from the overall pattern with reference to the context in which the data were gathered. d. Relating the choice of measures of center and variability to the shape of the data distribution and the context in which the data were gathered.	MC, MS, EQ, DD, HS, MA

\* Denotes that target is measured in Performance Tasks only; Shaded standards denote additional and supporting clusters; <sup>1</sup> Denotes that item type is only applicable to target B; Tables were created using the released item specification tables provided by SBAC published on 2/04/2014.



Claim	Target/DOK	Standards	Item Types
<p><b>2: Problem Solving:</b> Students can solve a range of well-posed problems in pure and applied mathematics, making productive use of knowledge and problem-solving strategies.</p>	<p><b>A:</b> Apply mathematics to solve well-posed problems in pure mathematics and arising in everyday life, society, and the workplace. (2, 3)</p>	<p><b>6.RP.1:</b> Understand the concept of a ratio and use ratio language to describe a ratio relationship between two quantities. For example, “The ratio of wings to beaks in the bird house at the zoo was 2:1, because for every 2 wings there was 1 beak.” “For every vote candidate A received, candidate C received nearly three votes.”</p>	<p>MC, MS, EQ, GI, MA, TI</p>
	<p><b>B:</b> Select and use appropriate tools strategically. (1, 2)</p>	<p><b>6.RP.2:</b> Understand the concept of a unit rate <math>a/b</math> associated with a ratio <math>a:b</math> with <math>b \neq 0</math>, and use rate language in the context of a ratio relationship. For example, “This recipe has a ratio of 3 cups of flour to 4 cups of sugar, so there is <math>3/4</math> cup of flour for each cup of sugar.” “We paid \$75 for 15 hamburgers, which is a rate of \$5 per hamburger.”</p>	
	<p><b>C:</b> Interpret results in the context of a situation. (2)</p>	<p><b>6.RP.3:</b> Use ratio and rate reasoning to solve real-world and mathematical problems, e.g., by reasoning about tables of equivalent ratios, tape diagrams, double number line diagrams, or equations.</p> <p><b>6.NS.1:</b> Interpret and compute quotients of fractions, and solve word problems involving division of fractions by fractions, e.g., by using visual fraction models and equations to represent the problem. For example, create a story context for <math>(2/3) \div (3/4)</math> and use a visual fraction model to show the quotient; use the relationship between multiplication and division to explain that <math>(2/3) \div (3/4) = 8/9</math> because <math>3/4</math> of <math>8/9</math> is <math>2/3</math>. (In general, <math>(a/b) \div (c/d) = ad/bc</math>.) How much chocolate will each person get if 3 people share <math>1/2</math> lb of chocolate equally? How many <math>3/4</math>-cup servings are in <math>2/3</math> of a cup of yogurt? How wide is a rectangular strip of land with length <math>3/4</math> mi and area <math>1/2</math> square mi?</p>	
	<p><b>D:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</p>	<p><b>6.NS.5:</b> Understand that positive and negative numbers are used together to describe quantities having opposite directions or values (e.g., temperature above/below zero, elevation above/below sea level, credits/debits, positive/negative electric charge); use positive and negative numbers to represent quantities in real-world contexts, explaining the meaning of 0 in each situation.</p>	

\* Denotes that target is measured in Performance Tasks only; Shaded standards denote additional and supporting clusters; <sup>1</sup> Denotes that item type is only applicable to target B; Tables were created using the released item specification tables provided by SBAC published on 2/04/2014.



Claim	Target/DOK	Standards	Item Types
<p><b>2: Problem Solving:</b> Students can solve a range of well-posed problems in pure and applied mathematics, making productive use of knowledge and problem-solving strategies.</p>	<p><b>A:</b> Apply mathematics to solve well-posed problems in pure mathematics and arising in everyday life, society, and the workplace. (2, 3)</p>	<p><b>6.NS.6:</b> Understand a rational number as a point on the number line. Extend number line diagrams and coordinate axes familiar from previous grades to represent points on the line and in the plane with negative number coordinates.</p>	<p>MC, MS, EQ, GI, MA, TI</p>
		<p><b>6.NS.7:</b> Understand ordering and absolute value of rational numbers.</p>	
		<p><b>6.NS.8:</b> Solve real-world and mathematical problems by graphing points in all four quadrants of the coordinate plane. Include use of coordinates and absolute value to find distances between points with the same first coordinate or the same second coordinate.</p>	
	<p><b>B:</b> Select and use appropriate tools strategically. (1, 2)</p>	<p><b>6.EE.1:</b> Write and evaluate numerical expressions involving whole-number exponents.</p>	
		<p><b>6.EE.2:</b> Write, read, and evaluate expressions in which letters stand for numbers.</p>	
		<p><b>6.EE.3:</b> Apply the properties of operations to generate equivalent expressions. For example, apply the distributive property to the expression <math>3(2 + x)</math> to produce the equivalent expression <math>6 + 3x</math>; apply the distributive property to the expression <math>24x + 18y</math> to produce the equivalent expression <math>6(4x + 3y)</math>; apply properties of operations to <math>y + y + y</math> to produce the equivalent expression <math>3y</math>.</p>	
		<p><b>6.EE.4:</b> Identify when two expressions are equivalent (i.e., when the two expressions name the same number regardless of which value is substituted into them). For example, the expressions <math>y + y + y</math> and <math>3y</math> are equivalent because they name the same number regardless of which number <math>y</math> stands for.</p>	
<p><b>C:</b> Interpret results in the context of a situation. (2)</p>	<p><b>6.EE.5:</b> Understand solving an equation or inequality as a process of answering a question: which values from a specified set, if any, make the equation or inequality true? Use substitution to determine whether a given number in a specified set makes an equation or inequality true.</p>		
<p><b>D:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</p>			

\* Denotes that target is measured in Performance Tasks only; Shaded standards denote additional and supporting clusters; <sup>1</sup> Denotes that item type is only applicable to target B; Tables were created using the released item specification tables provided by SBAC published on 2/04/2014.



Claim	Target/DOK	Standards	Item Types
<p><b>2: Problem Solving:</b> Students can solve a range of well-posed problems in pure and applied mathematics, making productive use of knowledge and problem-solving strategies.</p>	<p><b>A:</b> Apply mathematics to solve well-posed problems in pure mathematics and arising in everyday life, society, and the workplace. (2, 3)</p>	<p><b>6.EE.6:</b> Use variables to represent numbers and write expressions when solving a real-world or mathematical problem; understand that a variable can represent an unknown number, or, depending on the purpose at hand, any number in a specified set.</p>	<p>MC, MS, EQ, GI, MA, TI</p>
	<p><b>B:</b> Select and use appropriate tools strategically. (1, 2)</p>	<p><b>6.EE.7:</b> Solve real-world and mathematical problems by writing and solving equations of the form <math>x + p = q</math> and <math>px = q</math> for cases in which <math>p</math>, <math>q</math> and <math>x</math> are all nonnegative rational numbers.</p>	
	<p><b>C:</b> Interpret results in the context of a situation. (2)</p>	<p><b>6.EE.8:</b> Write an inequality of the form <math>x &gt; c</math> or <math>x &lt; c</math> to represent a constraint or condition in a real-world or mathematical problem. Recognize that inequalities of the form <math>x &gt; c</math> or <math>x &lt; c</math> have infinitely many solutions; represent solutions of such inequalities on number line diagrams.</p>	
	<p><b>D:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</p>	<p><b>6.EE.9:</b> Use variables to represent two quantities in a real-world problem that change in relationship to one another; write an equation to express one quantity, thought of as the dependent variable, in terms of the other quantity, thought of as the independent variable. Analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation. For example, in a problem involving motion at constant speed, list and graph ordered pairs of distances and times, and write the equation <math>d = 65t</math> to represent the relationship between distance and time.</p>	

\* Denotes that target is measured in Performance Tasks only; Shaded standards denote additional and supporting clusters; <sup>1</sup> Denotes that item type is only applicable to target B; Tables were created using the released item specification tables provided by SBAC published on 2/04/2014.



Claim	Target/DOK	Standards	Item Types
<p><b>2: Problem Solving:</b> Students can solve a range of well-posed problems in pure and applied mathematics, making productive use of knowledge and problem-solving strategies.</p>	<p><b>A:</b> Apply mathematics to solve well-posed problems in pure mathematics and arising in everyday life, society, and the workplace. (2, 3)</p>	<p><b>6.G.1:</b> Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques in the context of solving real-world and mathematical problems.</p>	<p>MC, MS, EQ, GI, MA, TI</p>
	<p><b>B:</b> Select and use appropriate tools strategically. (1, 2)</p>	<p><b>6.G.2:</b> Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Apply the formulas <math>V = l w h</math> and <math>V = b h</math> to find volumes of right rectangular prisms with fractional edge lengths in the context of solving real-world and mathematical problems.</p>	
	<p><b>C:</b> Interpret results in the context of a situation. (2)</p>	<p><b>6.G.3:</b> Draw polygons in the coordinate plane given coordinates for the vertices; use coordinates to find the length of a side joining points with the same first coordinate or the same second coordinate. Apply these techniques in the context of solving real-world and mathematical problems.</p>	
	<p><b>D:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</p>	<p><b>6.G.4:</b> Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques in the context of solving real-world and mathematical problems.</p>	

\* Denotes that target is measured in Performance Tasks only; Shaded standards denote additional and supporting clusters; <sup>1</sup> Denotes that item type is only applicable to target B; Tables were created using the released item specification tables provided by SBAC published on 2/04/2014.



Claim	Target/DOK	Standards	Item Types
<p><b>3: Communicating Reasoning:</b> Students clearly and precisely construct viable arguments to support their own reasoning and to critique the reasoning of others.</p>	<p><b>A:</b> Test propositions or conjectures with specific examples. (2)</p>	<p><b>6.RP.1:</b> Understand the concept of a ratio and use ratio language to describe a ratio relationship between two quantities. For example, “The ratio of wings to beaks in the bird house at the zoo was 2:1, because for every 2 wings there was 1 beak.” “For every vote candidate A received, candidate C received nearly three votes.”</p>	<p>MC, MS, EQ, GI, MA, TI, ST<sup>1</sup></p>
	<p><b>B:</b> Construct, autonomously, chains of reasoning that will justify or refute propositions or conjectures. (3, 4)</p>	<p><b>6.RP.2:</b> Understand the concept of a unit rate <math>a/b</math> associated with a ratio <math>a:b</math> with <math>b \neq 0</math>, and use rate language in the context of a ratio relationship. For example, “This recipe has a ratio of 3 cups of flour to 4 cups of sugar, so there is <math>3/4</math> cup of flour for each cup of sugar.” “We paid \$75 for 15 hamburgers, which is a rate of \$5 per hamburger.”</p>	
	<p><b>C:</b> State logical assumptions being used. (2, 3)</p>	<p><b>6.RP.3:</b> Use ratio and rate reasoning to solve real-world and mathematical problems, e.g., by reasoning about tables of equivalent ratios, tape diagrams, double number line diagrams, or equations.</p>	
	<p><b>D:</b> Use the technique of breaking an argument into cases. (2, 3)</p>	<p><b>6.NS.1:</b> Interpret and compute quotients of fractions, and solve word problems involving division of fractions by fractions, e.g., by using visual fraction models and equations to represent the problem. For example, create a story context for <math>(2/3) \div (3/4)</math> and use a visual fraction model to show the quotient; use the relationship between multiplication and division to explain that <math>(2/3) \div (3/4) = 8/9</math> because <math>3/4</math> of <math>8/9</math> is <math>2/3</math>. (In general, <math>(a/b) \div (c/d) = ad/bc</math>.) How much chocolate will each person get if 3 people share <math>1/2</math> lb of chocolate equally? How many <math>3/4</math>-cup servings are in <math>2/3</math> of a cup of yogurt? How wide is a rectangular strip of land with length <math>3/4</math> mi and area <math>1/2</math> square mi?</p>	
	<p><b>E:</b> Distinguish correct logic or reasoning from that which is flawed and--if there is a flaw in the argument--explain what it is. (2, 3, 4)</p>		
	<p><b>F:</b> Base arguments on concrete referents such as objects, drawings, diagrams, and actions. (2, 3)</p>		
	<p><b>G:</b> At later grades, determine conditions under which an argument does and does not apply. (For example, area increases with perimeter for squares, but not for all plane figures.) (3, 4)</p>		

\* Denotes that target is measured in Performance Tasks only; Shaded standards denote additional and supporting clusters; <sup>1</sup> Denotes that item type is only applicable to target B; Tables were created using the released item specification tables provided by SBAC published on 2/04/2014.



Claim	Target/DOK	Standards	Item Types
<p><b>3: Communicating Reasoning:</b> Students clearly and precisely construct viable arguments to support their own reasoning and to critique the reasoning of others.</p>	<p><b>A:</b> Test propositions or conjectures with specific examples. (2)</p>	<p><b>6.NS.5:</b> Understand that positive and negative numbers are used together to describe quantities having opposite directions or values (e.g., temperature above/below zero, elevation above/below sea level, credits/debits, positive/negative electric charge); use positive and negative numbers to represent quantities in real-world contexts, explaining the meaning of 0 in each situation.</p>	<p>MC, MS, EQ, GI, MA, TI, ST<sup>1</sup></p>
	<p><b>B:</b> Construct, autonomously, chains of reasoning that will justify or refute propositions or conjectures. (3, 4)</p>	<p><b>6.NS.6:</b> Understand a rational number as a point on the number line. Extend number line diagrams and coordinate axes familiar from previous grades to represent points on the line and in the plane with negative number coordinates.</p>	
	<p><b>C:</b> State logical assumptions being used. (2, 3)</p>	<p><b>6.NS.7:</b> Understand ordering and absolute value of rational numbers.</p>	
	<p><b>D:</b> Use the technique of breaking an argument into cases. (2, 3)</p>	<p><b>6.NS.8:</b> Solve real-world and mathematical problems by graphing points in all four quadrants of the coordinate plane. Include use of coordinates and absolute value to find distances between points with the same first coordinate or the same second coordinate.</p>	
	<p><b>E:</b> Distinguish correct logic or reasoning from that which is flawed and--if there is a flaw in the argument--explain what it is. (2, 3, 4)</p>	<p><b>6.EE.1:</b> Write and evaluate numerical expressions involving whole-number exponents.</p>	
	<p><b>F:</b> Base arguments on concrete referents such as objects, drawings, diagrams, and actions. (2, 3)</p>	<p><b>6.EE.2:</b> Write, read, and evaluate expressions in which letters stand for numbers.</p>	
	<p><b>G:</b> At later grades, determine conditions under which an argument does and does not apply. (For example, area increases with perimeter for squares, but not for all plane figures.) (3, 4)</p>	<p><b>6.EE.3:</b> Apply the properties of operations to generate equivalent expressions. For example, apply the distributive property to the expression <math>3(2 + x)</math> to produce the equivalent expression <math>6 + 3x</math>; apply the distributive property to the expression <math>24x + 18y</math> to produce the equivalent expression <math>6(4x + 3y)</math>; apply properties of operations to <math>y + y + y</math> to produce the equivalent expression <math>3y</math>.</p>	

\* Denotes that target is measured in Performance Tasks only; Shaded standards denote additional and supporting clusters; <sup>1</sup> Denotes that item type is only applicable to target B; Tables were created using the released item specification tables provided by SBAC published on 2/04/2014.



Claim	Target/DOK	Standards	Item Types
<b>3: Communicating Reasoning:</b> Students clearly and precisely construct viable arguments to support their own reasoning and to critique the reasoning of others.	<b>A:</b> Test propositions or conjectures with specific examples. (2)	<b>6.EE.4:</b> Identify when two expressions are equivalent (i.e., when the two expressions name the same number regardless of which value is substituted into them). For example, the expressions $y + y + y$ and $3y$ are equivalent because they name the same number regardless of which number $y$ stands for.	MC, MS, EQ, GI, MA, TI, ST <sup>1</sup>
	<b>B:</b> Construct, autonomously, chains of reasoning that will justify or refute propositions or conjectures. (3, 4)	<b>6.EE.5:</b> Understand solving an equation or inequality as a process of answering a question: which values from a specified set, if any, make the equation or inequality true? Use substitution to determine whether a given number in a specified set makes an equation or inequality true.	
	<b>C:</b> State logical assumptions being used. (2, 3)	<b>6.EE.6:</b> Use variables to represent numbers and write expressions when solving a real-world or mathematical problem; understand that a variable can represent an unknown number, or, depending on the purpose at hand, any number in a specified set.	
	<b>D:</b> Use the technique of breaking an argument into cases. (2, 3)	<b>6.EE.7:</b> Solve real-world and mathematical problems by writing and solving equations of the form $x + p = q$ and $px = q$ for cases in which $p, q$ and $x$ are all nonnegative rational numbers.	
	<b>E:</b> Distinguish correct logic or reasoning from that which is flawed and--if there is a flaw in the argument--explain what it is. (2, 3, 4)	<b>6.EE.8:</b> Write an inequality of the form $x > c$ or $x < c$ to represent a constraint or condition in a real-world or mathematical problem. Recognize that inequalities of the form $x > c$ or $x < c$ have infinitely many solutions; represent solutions of such inequalities on number line diagrams.	
	<b>F:</b> Base arguments on concrete referents such as objects, drawings, diagrams, and actions. (2, 3)	<b>6.EE.9:</b> Use variables to represent two quantities in a real-world problem that change in relationship to one another; write an equation to express one quantity, thought of as the dependent variable, in terms of the other quantity, thought of as the independent variable. Analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation. For example, in a problem involving motion at constant speed, list and graph ordered pairs of distances and times, and write the equation $d = 65t$ to represent the relationship between distance and time.	
	<b>G:</b> At later grades, determine conditions under which an argument does and does not apply. (For example, area increases with perimeter for squares, but not for all plane figures.) (3, 4)		

\* Denotes that target is measured in Performance Tasks only; Shaded standards denote additional and supporting clusters; <sup>1</sup> Denotes that item type is only applicable to target B; Tables were created using the released item specification tables provided by SBAC published on 2/04/2014.



Claim	Target/DOK	Standards	Item Types
<p><b>4: Modeling and data Analysis:</b> Students can analyze complex, real-world scenarios and can construct and use mathematical models to interpret and solve problems.</p>	<p><b>A:</b> Apply mathematics to solve problems arising in everyday life, society, and the workplace. (2, 3)</p>	<p><b>6.RP.1:</b> Understand the concept of a ratio and use ratio language to describe a ratio relationship between two quantities. For example, “The ratio of wings to beaks in the bird house at the zoo was 2:1, because for every 2 wings there was 1 beak.” “For every vote candidate A received, candidate C received nearly three votes.”</p>	<p>MC, MS, EQ, GI, MA, TI, ST<sup>1</sup></p>
	<p><b>B:</b> Construct, autonomously, chains of reasoning to justify mathematical models used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)</p>	<p><b>6.RP.2:</b> Understand the concept of a unit rate <math>a/b</math> associated with a ratio <math>a:b</math> with <math>b \neq 0</math>, and use rate language in the context of a ratio relationship. For example, “This recipe has a ratio of 3 cups of flour to 4 cups of sugar, so there is <math>3/4</math> cup of flour for each cup of sugar.” “We paid \$75 for 15 hamburgers, which is a rate of \$5 per hamburger.”</p>	
	<p><b>C:</b> State logical assumptions being used. (1, 2)</p>	<p><b>6.RP.3:</b> Use ratio and rate reasoning to solve real-world and mathematical problems, e.g., by reasoning about tables of equivalent ratios, tape diagrams, double number line diagrams, or equations.</p>	
	<p><b>D:</b> Interpret results in the context of a situation. (2, 3)</p>	<p><b>6.NS.1:</b> Interpret and compute quotients of fractions, and solve word problems involving division of fractions by fractions, e.g., by using visual fraction models and equations to represent the problem. For example, create a story context for <math>(2/3) \div (3/4)</math> and use a visual fraction model to show the quotient; use the relationship between multiplication and division to explain that <math>(2/3) \div (3/4) = 8/9</math> because <math>3/4</math> of <math>8/9</math> is <math>2/3</math>. (In general, <math>(a/b) \div (c/d) = ad/bc</math>.) How much chocolate will each person get if 3 people share <math>1/2</math> lb of chocolate equally? How many <math>3/4</math>-cup servings are in <math>2/3</math> of a cup of yogurt? How wide is a rectangular strip of land with length <math>3/4</math> mi and area <math>1/2</math> square mi?</p>	
	<p><b>E:</b> Analyze the adequacy of and make improvements to an existing model or develop a mathematical model of a real phenomenon. (3, 4)</p>		
	<p><b>F:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</p>		
	<p><b>G*:</b> Identify, analyze and synthesize relevant external resources to pose or solve problems. (3, 4)</p>		

\* Denotes that target is measured in Performance Tasks only; Shaded standards denote additional and supporting clusters; <sup>1</sup> Denotes that item type is only applicable to target B; Tables were created using the released item specification tables provided by SBAC published on 2/04/2014.



Claim	Target/DOK	Standards	Item Types
<p><b>4: Modeling and data Analysis:</b> Students can analyze complex, real-world scenarios and can construct and use mathematical models to interpret and solve problems.</p>	<p><b>A:</b> Apply mathematics to solve problems arising in everyday life, society, and the workplace. (2, 3)</p>	<p><b>6.NS.5:</b> Understand that positive and negative numbers are used together to describe quantities having opposite directions or values (e.g., temperature above/below zero, elevation above/below sea level, credits/debits, positive/negative electric charge); use positive and negative numbers to represent quantities in real-world contexts, explaining the meaning of 0 in each situation.</p>	<p>MC, MS, EQ, GI, MA, TI, ST<sup>1</sup></p>
	<p><b>B:</b> Construct, autonomously, chains of reasoning to justify mathematical models used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)</p>	<p><b>6.NS.6:</b> Understand a rational number as a point on the number line. Extend number line diagrams and coordinate axes familiar from previous grades to represent points on the line and in the plane with negative number coordinates.</p>	
	<p><b>C:</b> State logical assumptions being used. (1, 2)</p>	<p><b>6.NS.7:</b> Understand ordering and absolute value of rational numbers.</p>	
	<p><b>D:</b> Interpret results in the context of a situation. (2, 3)</p>	<p><b>6.NS.8:</b> Solve real-world and mathematical problems by graphing points in all four quadrants of the coordinate plane. Include use of coordinates and absolute value to find distances between points with the same first coordinate or the same second coordinate.</p>	
	<p><b>E:</b> Analyze the adequacy of and make improvements to an existing model or develop a mathematical model of a real phenomenon. (3, 4)</p>	<p><b>6.EE.5:</b> Understand solving an equation or inequality as a process of answering a question: which values from a specified set, if any, make the equation or inequality true? Use substitution to determine whether a given number in a specified set makes an equation or inequality true.</p>	
	<p><b>F:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</p>	<p><b>6.EE.6:</b> Use variables to represent numbers and write expressions when solving a real-world or mathematical problem; understand that a variable can represent an unknown number, or, depending on the purpose at hand, any number in a specified set.</p>	
	<p><b>G*:</b> Identify, analyze and synthesize relevant external resources to pose or solve problems. (3, 4)</p>		

\* Denotes that target is measured in Performance Tasks only; Shaded standards denote additional and supporting clusters; <sup>1</sup> Denotes that item type is only applicable to target B; Tables were created using the released item specification tables provided by SBAC published on 2/04/2014.



Claim	Target/DOK	Standards	Item Types
<b>4: Modeling and data Analysis:</b> Students can analyze complex, real-world scenarios and can construct and use mathematical models to interpret and solve problems.	<b>A:</b> Apply mathematics to solve problems arising in everyday life, society, and the workplace. (2, 3)	<b>6.EE.7:</b> Solve real-world and mathematical problems by writing and solving equations of the form $x + p = q$ and $px = q$ for cases in which $p$ , $q$ and $x$ are all nonnegative rational numbers.	MC, MS, EQ, GI, MA, TI, ST <sup>1</sup>
	<b>B:</b> Construct, autonomously, chains of reasoning to justify mathematical models used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)	<b>6.EE.8:</b> Write an inequality of the form $x > c$ or $x < c$ to represent a constraint or condition in a real-world or mathematical problem. Recognize that inequalities of the form $x > c$ or $x < c$ have infinitely many solutions; represent solutions of such inequalities on number line diagrams.	
	<b>C:</b> State logical assumptions being used. (1, 2)	<b>6.EE.9:</b> Use variables to represent two quantities in a real-world problem that change in relationship to one another; write an equation to express one quantity, thought of as the dependent variable, in terms of the other quantity, thought of as the independent variable. Analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation. For example, in a problem involving motion at constant speed, list and graph ordered pairs of distances and times, and write the equation $d = 65t$ to represent the relationship between distance and time.	
	<b>D:</b> Interpret results in the context of a situation. (2, 3)	<b>6.G.1:</b> Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques in the context of solving real-world and mathematical problems.	
	<b>E:</b> Analyze the adequacy of and make improvements to an existing model or develop a mathematical model of a real phenomenon. (3, 4)	<b>6.G.2:</b> Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Apply the formulas $V = lwh$ and $V = bh$ to find volumes of right rectangular prisms with fractional edge lengths in the context of solving real-world and mathematical problems.	
	<b>F:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)		
	<b>G*:</b> Identify, analyze and synthesize relevant external resources to pose or solve problems. (3, 4)		

\* Denotes that target is measured in Performance Tasks only; Shaded standards denote additional and supporting clusters; <sup>1</sup> Denotes that item type is only applicable to target B; Tables were created using the released item specification tables provided by SBAC published on 2/04/2014.



Claim	Target/DOK	Standards	Item Types
<p><b>4: Modeling and data Analysis:</b> Students can analyze complex, real-world scenarios and can construct and use mathematical models to interpret and solve problems.</p>	<p><b>A:</b> Apply mathematics to solve problems arising in everyday life, society, and the workplace. (2, 3)</p>	<p><b>6.G.3:</b> Draw polygons in the coordinate plane given coordinates for the vertices; use coordinates to find the length of a side joining points with the same first coordinate or the same second coordinate. Apply these techniques in the context of solving real-world and mathematical problems.</p>	<p>MC, MS, EQ, GI, MA, TI, ST<sup>1</sup></p>
	<p><b>B:</b> Construct, autonomously, chains of reasoning to justify mathematical models used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)</p>	<p><b>6.G.4:</b> Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques in the context of solving real-world and mathematical problems.</p>	
	<p><b>C:</b> State logical assumptions being used. (1, 2)</p>	<p><b>6.SP.1:</b> Recognize a statistical question as one that anticipates variability in the data related to the question and accounts for it in the answers. For example, “How old am I?” is not a statistical question, but “How old are the students in my school?” is a statistical question because one anticipates variability in students’ ages.</p>	
	<p><b>D:</b> Interpret results in the context of a situation. (2, 3)</p>	<p><b>6.SP.2:</b> Understand that a set of data collected to answer a statistical question has a distribution which can be described by its center, spread, and overall shape.</p>	
	<p><b>E:</b> Analyze the adequacy of and make improvements to an existing model or develop a mathematical model of a real phenomenon. (3, 4)</p>	<p><b>6.SP.3:</b> Recognize that a measure of center for a numerical data set summarizes all of its values with a single number, while a measure of variation describes how its values vary with a single number.</p>	
	<p><b>F:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</p>	<p><b>6.SP.4:</b> Display numerical data in plots on a number line, including dot plots, histograms, and box plots.</p>	
	<p><b>G*:</b> Identify, analyze and synthesize relevant external resources to pose or solve problems. (3, 4)</p>		

\* Denotes that target is measured in Performance Tasks only; Shaded standards denote additional and supporting clusters; <sup>1</sup> Denotes that item type is only applicable to target B; Tables were created using the released item specification tables provided by SBAC published on 2/04/2014.



Claim	Target/DOK	Standards	Item Types
<p><b>4: Modeling and data Analysis:</b> Students can analyze complex, real-world scenarios and can construct and use mathematical models to interpret and solve problems.</p>	<p><b>A:</b> Apply mathematics to solve problems arising in everyday life, society, and the workplace. (2, 3)</p> <p><b>B:</b> Construct, autonomously, chains of reasoning to justify mathematical models used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)</p> <p><b>C:</b> State logical assumptions being used. (1, 2)</p> <p><b>D:</b> Interpret results in the context of a situation. (2, 3)</p> <p><b>E:</b> Analyze the adequacy of and make improvements to an existing model or develop a mathematical model of a real phenomenon. (3, 4)</p> <p><b>F:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</p> <p><b>G*:</b> Identify, analyze and synthesize relevant external resources to pose or solve problems. (3, 4)</p>	<p><b>6.SP.5:</b> Summarize numerical data sets in relation to their context, such as by: <b>a.</b> Reporting the number of observations. <b>b.</b> Describing the nature of the attribute under investigation, including how it was measured and its units of measurement. <b>c.</b> Giving quantitative measures of center (median and/or mean) and variability (interquartile range and/or mean absolute deviation), as well as describing any overall pattern and any striking deviations from the overall pattern with reference to the context in which the data were gathered. <b>d.</b> Relating the choice of measures of center and variability to the shape of the data distribution and the context in which the data were gathered.</p>	<p>MC, MS, EQ, GI, MA, TI, ST<sup>1</sup></p>

\* Denotes that target is measured in Performance Tasks only; Shaded standards denote additional and supporting clusters; <sup>1</sup> Denotes that item type is only applicable to target B; Tables were created using the released item specification tables provided by SBAC published on 2/04/2014.